

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

SouthWest Rankin Water Association. Inc.

Public Water Supply Name

610026 610040

List PWS ID #s for all Water Systems Covered by this CCR

leral Safe Drinking Water Act requires each community public water system to develop and distribution.

Please Answer the Following Questions Regarding the Consumer Confidence Report

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

| | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper On water bills Other |
|---|---|
| | Date customers were informed: 6 /3 /2009 |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/Distributed:/_/_ |
| X | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Rank, Sounty News |
| | Date Published: 6/3/2009 |
| | CCR was posted in public places. (Attach list of locations) |
| | Date Posted: / / |
|] | CCR was posted on a publicly accessible internet site at the address: www. |

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

6-18-09 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

AFFIDAVIT

PROOF OF PUBLICATION

RANKIN COUNTY NEWS • P.O. BOX 107 • BRANDON, MS 39043

STATE OF MISSISSIPPI COUNTY OF RANKIN

THIS 4TH DAY OF JUNE, 2009, personally came Marcus Bowers, publisher of the Rankin County News,

2008 Annual Drinking Water Quality Report South West Rankin Water Association PWS#: 0610026 & 0610040 May 2009

Quality Water Report. This report is designed to inform you about the quality water and services we provide you with a sate and dependable supply of drinking water. We want you to understand the eatment process and protect our water resources. We are committed to ensuring the quality of your the Sparta Sand, Cockfield Formation and the Catahoula Formation Aquifers.

of for our public water system to determine the overall susceptibility of its drinking water supply to teneral susceptibility rankings assigned to each well of this system are provided immediately below. It is a susceptibility determinations were made has been furnished to our public water system and is SW Rankin Water Association have received a moderate susceptibility ranking to contamination.

cerning your water utility, please contact James Axlon Miller at 501-845-2440. We want our valued if you want to learn more, please attend any of our regularly scheduled meetings. They are held on both County Line Road, Florence, MS 39073.

Rang water according to Federal and State laws. This table below lists all of the drinking water of January 1th December 31th, 2008. In cases where monitoring wasn't required in 2008, the vels over the surface of land or underground, it dissolves naturally occurring minerals and, in some soces or contaminants from the presence of animals or from human activity; microbial contaminants, sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic a be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewatering; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban mamical contaminants, including synthetic and volatile organic chemicals, which are by-products of rid can also come from gas stations and septic systems; radioactive contaminants, which can be production and mining activities. The order to ensure that rap water is sale to drink, EPA prescribes mants in water provided by public water systems. All drinking water, including bottled drinking water, small amounts of some constituents. It's important to remember that the presence of these water poses a health risk.

wons you might not be familiar with. To help you better understand these terms we've provided the

reich. If exceeded, triggers treatment or other requirements which a water system must follow.

 $_{\odot}$ Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are a available treatment technology.

'Goal'(MCLG) is the level of a contaminant in drinking water below which there is no known or a safety.

one part per million corresponds to one minute in two years or a single penny in \$10,000.

per pillion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

| el | Range of Detects or # of Samples Exceeding MCL/ACL | Unil Measurement | MCLG | MCL | Likely Source of Contamination |
|----|--|---------------------|------|-----|--|
| | | | | | |
| | T No Rance | Topm | 2 | 2 | Discharge of drilling wastes; |
| | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| | No Range | ppm | 100 | 100 | discharge from metal refineries; |

| | No Range | bbp | 100 | 100 | mills; erosion of natural deposits |
|-------------|--|---|------------------------------|---------------|---|
| s- establis | 0 | mqq | 1.3 | AL=1.3 | Corrosion of household plumbing systems, erosion of natural deposits, leaching from wood preservatives |
| 4 | 1 38 – 1.54 | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth, discharge from fertilizer and aluminum factories |
| | 0 | ррь | 0 | AL≖15 | Corrosion of household plumbing systems, erosion of natural deposits |
| ********** | ~~************************************ | m knime i i i i i i i i i i i i i i i i i i | OR A CASE OF THE PROPERTY OF | Inches Andrea | |
| | .2125 | ppm | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| | | | | | |

a weekly newspaper printed and published in the City of Brandon, In the County of Rankin and State aforesaid, before me the undersigned officer in and for said County and State, who being duly sworn, deposes and says that said newspaper has been published for more than 12 months prior to the first publication of the attached notice and is qualified under Chapter 13-3-31, Laws of Mississippi, 1936, and laws supplementary and amendatory thereto, and that a certain

2008 ANNUAL DRINKING WATER QUALITY REPORT

SOUTH WEST RANKIN WATER ASSOCIATION

a copy of which is hereto attached, was published in said newspaper One (1) week, as follows, to-wit:

Vol. 161 No. 45 on the 3rd day of June, 2009

| Marcus | Bowers |
|--------|--------|
| | |

MARCUS BOWERS, Publisher

Sworn to and subscribed before me by the aforementioned Marcus Bowers this 4th day of June, 2009

FRANCES CONGER
My Commission Expires: January 25, 2010

, Notary Public

PRINTER'S FEE: 3 column by 17.5 inch ad at \$6.50 per column inch

\$<u>341.25</u>

Proof of Publication.....

3.00

TOTAL

\$344.25

| | - | 2008 | 94.25 | No Range | ppb | 0 | | 80 | By-product of drinking water chlorination. |
|--------|----------------|--|-------|-----------|-----|--------|--------------|-------|---|
| | ĪN | 2008 | 49.25 | No Range | ppb | 0 | | 60 | By-Product of drinking water disinfection |
| etio | n By- | Produc | ts | | | | | | |
| a\$ | N | 2008 | .25 | .2125 | ppm | | 10 | 10 | Runolf from fertilizer use; leaching from septic tanks, sawage; erosion of natural deposits |
| wanton | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | ****** | | | |
| | Ŋ | 2008 | 2 | 0 | ррь | | O | AL#15 | Corrosion of household plumbing systems, erosion of natural deposits |
| • | N | 2006* | 1.64 | 1 38 1.54 | ppm | | 4 | 4 | Erosion of natural deposits, water additive which promotes strong teeth, discharge from tertilizer and aluminum factories |
| | 1 | 1 | 1 | 1 | | | | | hinsalvatives |

| | N | 2008 | 49.25 | No Range | ppb | 0 | 60 | By-Product of drinking water disinfection | |
|------|---|------|-------|----------|-----|---|----------|--|-------|
| | Y | 2008 | 94.25 | No Range | ppb | 0 | | By-product of drinking water chierination. | |
| gaes | N | 2008 | 2 | .37 - 2 | ppm | 0 | MDRL ≈ 4 | Water additive used to control microbes | · · . |

ent sample. No sample required for 2008.

to veri is routinely adjusted to the MS State Dept of Health's recommended level of 0.7-1.3 mg/l

| |)040 | 061 | 1D#: |
|--|------|-----|------|
|--|------|-----|------|

| D#: U61UU4 | • | 110 | OI MUDOUI | 3 X KJ | | | |
|--------------------|---|-------------------|--|---------------------|------|-----|--------------------------------|
| t Violation Y/N | | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measurement | MCLG | MCL | Likely Source of Contamination |

: Candaminante

| anic | Conta | minants | | | | | | 100000000 |
|-------|-------|---------|------|----------|-------|-----|--------|--|
| | N | 2008 | .5 | No Range | ppb | n/a | 10 | Erosion of natural deposits; runoff from orchards, runoff from glass and electronics production wastes |
| ŋ | N | 2008 | .065 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| njih. | N | 2008 | .1 | No Range | ppb | 4 | 4 | Olscharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries. |
| ดแลม | N | 2008 | .9 | No Range | ppb . | 100 | 100 | Discharge from steel and pulp milis; erosion of natural deposits |
| 8' | N | 2008 | 3 | 0 | opm . | 1.3 | AL#1.3 | Corrosion of household plumbing systems, erosion of natural deposits; leaching from wood preservatives |
| -0e** | N | 2009 | .756 | No Range | ppm | . 4 | 4 | Erosion of natural deposits, water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| | N | 2008 | 3 | 0 | ррь | D | AL=15 | Cerrosion of household plumbing systems, erosion of natural deposits |
| iium | N | 2008 | .9 | No Range | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |

fection By-Products

| v. | N | 2005* | 2 | No Range | ppb | 0 | | By-product of drinking water disinfection | |
|---------|---|-------|------|------------|-----|---|----------|---|--|
| nhanes) | N | 2008 | 1.37 | .43 - 1.37 | ppm | 0 | MDRL = 4 | Water additive used to control microbes | |

cent sample. No sample required for 2008.

the level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

Chalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCt, over many years may experience problems with their as or certral nervous systems, and may have an increased risk of getting cancer.

coursed to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or trinking water meets heach standards. Beginning January 1, 2004, the Mississippi State Department of Fearm (MSDH) required public water that use chlorine as a primary disinfectant to monitorities for chlorine residues as required by the Stage 1 Disinfection By-Products Rule: We alter the monitoring requirements for bacteriological sampling that showed no colliform present. In an effort to ensure systems complete all 19 requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

at elevated levels of load can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high mixing water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you must the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can minimize exposure is available from the Safe Drinking Water Hottine or at http://www.epa.gov/safewater/lead. The Mississippi State Department is Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

tes of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be a morganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More not about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water at 1-800-426-4791

ropse may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons were undergoing chemotherapy, persons who have undergoine organ transplants, people with HIV/AIDS or other immune system disorders, ricerly, and unfants can be particularly at risk from infections. These people should seek advice about drinking water from their health care in EPACOC guidelines on appropriate means to lessen the risk of infection by cryptosportdium and other microbiological contaminants are a from the Safe Drinking Water Hottline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING****

chance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippl State nent of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological nce samples and results until further notice.

n this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Supply, at 601.576.7518.

uth West Rankin Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us our water sources, which are the heart of our community, our way of life and our children's future.

2008 Annual Dinking Water Quality Report South West Rankin Water Association PWS# 0610026 & 0610040 May 2009

We're cleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the deflorts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your efforts we make to continually improve the water treatment process and protect our water source is from wella drawing from the Sparia Sand, Cockfeld Formation and the Catahoula Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report contamination on how the susceptibility determination were made has been furnished to our public water system and is a report contamination of the system and is contaminated to our public water association have received a moderate susceptibility ranking to contamination, available for viewing upon request. The wells for the SVV Rankin Water Association have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water titility, please contact James Axion Miller at 501-845-2440. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 7:30 PM at 201 South County Line Road, Florence, MS 39073.

We coultney monitor for constituents in your drinking water according to Federal and State laws. This table below lests all of the drinking water contaminants that we detacted during for the period of sanuary 1th to December 31th 2008. In cases where monitoring wasn't required in 2008, the table reflects the most repent results. As water travels over the surface of land or underground. It dissolves naturally occurring minerals and, in some table reflects the most repent results. As water travels over the surface of land or underground. It dissolves naturally occurring minerals and in some sacro and production of the product of t

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The Maximum Allowed' (MCL) is the highest level of a contaminant that is allowed in clinking water. MCLb are act as close to the MCLOs as feasible using the best available treatment technology.

Meximum Conteminant Lavel Goal (MCLG). The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Parts per million (ppm) or Milligrants per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Microgranis per liter- one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

| WS ID#; 0 | 610026 | | TE | ST RESUL | | Melg | T MCL T | Likely Source of Contamination |
|---------------------------|------------------|-------------------|-------------------|--|---------------------|---------|----------|--|
| interninant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MOL/ACL | Unit Measurement | """ | | |
| norganic C | 'ontam | inants | | | | 1 2 | 1 2 | Discharge of drilling wastes: |
| 0. Barium | N | 2006* | 001 | No Range | ppm | · · · · | | discharge from metal refineries; erosion of natural deposits |
| | Ň | 2006* | j.8 | No Range | ррр | 100 | 100 | Discharge from steel and pulp mills, erosion of natural deposits |
| Chromium Copper | N | 2008 | 2 | Ö | ppm | 13 | 3 AL=13 | Corresion of household plumbing systems, erosion of natural deposits; leaching from wood |
| a coppe | | | | | | 1 | 4 4 | preservatives Erosion of natural deposits; water |
| i6: Fluoride** | N | 2006* | 1.64 | 1.38 - 1.54 | ppm | | | adultive which promotes strong teeth, discharge from fertilizer and aluminum factories |
| 399.00 | TIN S | 2008 | 2 | 0 1 | ppb | | 0 AL=1 | |
| 17 Lead () () | 1 | 1 | | | | 1 | 1 | deposits |
| 19 Nitrate (as | IN | 2008 | .25 | .2125 | ppm | | 10 1 | Runoff from fertilizer use: teaching from septic tanks, sawage, erosic of natural deposits |
| Nitrogen) | | 1 | | ـــــــــــــــــــــــــــــــــــ | | | | |
| Disinfection | on By-I | roducts | | 100000000000000000000000000000000000000 | ррь | | 60 | By-Product of drinking water |
| 81HAA5 | N | 2008 | 49,25 | No Range | ppb | 0 | 80 | disinfection By-product of drinking water |
| 82. TTHM Total | \v | 2008 | 94:25 | No Range | | | MDRL×4 | chlorination. Water additive used to control |
| utalomethanes Chlorine | N | 2008 | 2 | .37 - 2 | ppm | 0 | MUKL * 4 | microbes |

•• Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l

| WS ID#: | 0610040 | | | ST RESUL | Unit | MCLG | MCL | Likely, Source of Contamination |
|--------------|------------------|-------------------|-----------|---|-------------|------|-----|--|
| ontaminant | Violation Y/N | Date Collected | Detected: | Detects or # of Samples Exceeding MCL/ACL | Measurement | | | |
| norganic | Contam | inants | .5 | No Range | ppb | n/a | 10 | Erosion of natural deposits, runoff from orchards, runoff from glass and electronics production wastes |
| | N | 2008 | .085 | No Range | ppm | 2 | 7 | Discharge of drilling wastes: discharge from metal refineries: |
| 0 Berjum | | | - | No Range | ppb | A | 4 | erosion of natural deposits Discharge from metal refineries and coal-burning factories. |
| 1. Beryllium | א | 2008 | 1 | | | | | discharge from electrical, aerospace, and defense industrie |
| | | 1 2 2 2 2 | 9. | No Range | ppb | 100 | 100 | |

County and has been p attached no and laws st

200

a copy of week, as fi

Vol 161

Ma MARCU

Sworn to Marcus

PRINTE

Proof of

TO]

| 16. Fluoride** | N | 2006* | 4.04 | 100 15 | | | | 1 | preservatives |
|--|---------|--------|-------|-------------|---------|----|-----|--------|--|
| 17. Lead section in | | 200 | 1.54 | 1.38 – 1.54 | ppm | 30 | 4 | ayon I | Erosion of natural deposits; water additive which promotes strong teeth, discharge from fertilizer and aluminum factories |
| T. Lead | N O | 2008 | 2 | 0 | ppb | | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 19. Nitrate (as | N | 2008 | .25 | .2125 | ppm | | 10 | 10 | |
| Nitrogen) | | No. | | | | | 4.2 | | of natural deposits |
| | n By-Pr | oducts | | | | | | | of natural deposits |
| Disinfectio | N . | 2008 | 49.25 | No Range | ppb | 0 | | 60 | By-Product of drinking water |
| Nitrogen) Disinfectio 81. HAA6 82. TTHM Total finalomethanes] | N . | - | | No Range | ppb ppb | 0 | | 80 | of natural deposits |

| Contaminant | Violatio Y/N | n Date Collecte | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measurement | MCLG | MGL | Likely Source of Contamination |
|-----------------------------------|-----------------|--------------------|-------------------|--|---------------------|-------|--------|--|
| Inorganic | Contar | ninants | | | | | | |
| 8. Arsenic | N | 2008 | .5 | No Range | ppb | n/a | 10 | Erosion of natural deposits; runoff from orchards, runoff from glass and electronics production wastes |
| 10. Barlum | N | 2008 | .065 | No Range | ppm | 2 | 2 | |
| 11. Beryllium | N | 2008 | .1 | No Range | ppb | 4 | 4 | |
| 13. Chromium | N | 2008 | .9 | No Range | ppb . | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| 14. Copper | N | 2008 | 1 | 0 | ppm . | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| | N | 2009 | .756 | No Range | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 7. Lead | N | 2008 | 3 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 21. Selenium | N | 2008 | .9 | No Range | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Disinfectio | n By-Pr | oducts | | | | | | |
| 2. TTHM [otal malomethanes] | N : | 2005* 2 | N | o Range | ppb | 0 | 80 By- | product of drinking water nfection. |
| hlorine | N 2 | 2008 1 | .37 .4 | 3 – 1.37 | ppm | 0 MDF | | Vater additive used to control |

^{*} Most recent sample. No sample required for 2008.

(82) Total Trihalomethanos (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitoritest for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. We did complete the monitoring requirements for bacteriological sampling that showed no colliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you concerned about lead in your water, you may wish to have your water tested, information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small ammounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.676.7518.

The South West Rankin Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future

FAX 601 5767800

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

2008 CCR Contact Information

| Date: $6/19/69$ Time: 2.59 |
|--|
| PWSID: 610026/610040 |
| System Name: Southwest Ranbi |
| Lead/Copper Language MSDH Message re: Radiological Lab |
| MRDL Violation Chlorine Residual (MRDL) RAA |
| Other Violation(s) |
| Will correct report & mail copy marked "corrected copy" to MSDH. |
| Will notify customers of availability of corrected report on next monthly bill. |
| All copy of CCR-Hiscopy Cut off the left side |
| |
| Spoke with Danny Bridges Office Manager 601 845-2440 (Operator, Owner, Secretary) |
| Mrs Bridges Faxed the new taper chipping it was not Clear She is mailing the New paper Chipping. |